

**Simulation Based on Michel Fodje's epr-simple simulation translated from
Python to Mathematica by John Reed 13 Nov 2013 Plus Quaternions
Modified by Fred Diether for Completely Local-Realistic Nov. 2021
Includes Joy's S^3 Quaternion Model. With 3D Vectors!**

Load Quaternion Package, Set Run Time Parameters, Initialize Arrays and Tables

```
In[1]:= << Quaternions`  
β0 = Quaternion[1, 0, 0, 0];  
β1 = Quaternion[0, 1, 0, 0];  
β2 = Quaternion[0, 0, 1, 0];  
β3 = Quaternion[0, 0, 0, 1];  
Qcoordinates = {β1, β2, β3};  
Qcoordinates2 = {β0, β1, β2, β3};  
m = 5000000;  
trialDeg = 361;  
Ls1 = ConstantArray[0, m];  
Ls2 = ConstantArray[0, m];  
λ1 = ConstantArray[0, m];  
λ2 = ConstantArray[0, m];  
Da1 = ConstantArray[0, m];  
Db1 = ConstantArray[0, m];  
qA = ConstantArray[0, m];  
qB = ConstantArray[0, m];  
qa = ConstantArray[0, m];  
qb = ConstantArray[0, m];  
aq1 = ConstantArray[0, m];  
qa1 = ConstantArray[0, m];  
bq1 = ConstantArray[0, m];  
qb1 = ConstantArray[0, m];  
aa1 = ConstantArray[0, m];  
bb1 = ConstantArray[0, m];  
outA1 = Table[{0, 0}, m];  
outA2 = Table[{0, 0}, m];  
outB1 = Table[{0, 0}, m];  
outB2 = Table[{0, 0}, m];  
a1 = ConstantArray[0, m];  
b1 = ConstantArray[0, m];  
nPP = ConstantArray[0, trialDeg];  
nNN = ConstantArray[0, trialDeg];  
nPn = ConstantArray[0, trialDeg];  
nNP = ConstantArray[0, trialDeg];  
nAP = ConstantArray[0, trialDeg];  
nBP = ConstantArray[0, trialDeg];  
nAN = ConstantArray[0, trialDeg];  
nBN = ConstantArray[0, trialDeg];  
ϕ = 3; β = 0.284; ξ = 0.892; (*Adjustable parameters for fine tuning*)
```

Generating Particle Data with Three Independent Do-Loops

```
In[41]:= Do[s = RandomPoint[Sphere[]]; (*Singlet 3D vector*) (*Hidden Variable*)
  θ1 = ToSphericalCoordinates[s][[3]] * 180 / π;
  θ2 = ToSphericalCoordinates[s][[2]];
  λ1[[i]] = β (Cos[θ1/ϕ]^2);
  λ2[[i]] = (Cos[(θ2 + ε)/2]^2);
  Ls1[[i]] = s.Qcoordinates; (*Convert to quaternion coordinates*)
  Ls2[[i]] = -s.Qcoordinates, {i, m}]

In[42]:= Do[a = RandomPoint[Sphere[]]; (*Detector 3D vector angle*)
  aa1[[i]] = a;
  Da = a.Qcoordinates; (*Convert to quaternion coordinates*)
  Da1[[i]] = Da;
  qa = Da ** Ls1[[i]];
  qa1[[i]] = qa;
  aq = -Da ** Ls1[[i]];
  aq1[[i]] = aq;
  If[Abs[Re[qa]] > λ1[[i]],
    qA1 = Re[Da ** Limit[Ls1[[i]], Ls1[[i]] → Sign[Re[Da ** Ls1[[i]]]] Da]],
    qA1 = Sign[{aq[[2]], aq[[3]], aq[[4]]}.Qcoordinates]];
  outA1[[i]] = {a, qA1};
  If[Abs[Re[qa]] > λ2[[i]],
    qA2 = Re[-Da ** Limit[Ls1[[i]], Ls1[[i]] → Sign[Re[Da ** Ls1[[i]]]] Da]],
    qA2 = Sign[{qa[[2]], qa[[3]], qa[[4]]}.Qcoordinates]];
  outA2[[i]] = {a, qA2}, {i, m}]
  outA = Catenate[{outA1, outA2}];


In[44]:= Do[b = RandomPoint[Sphere[]]; (*Detector 3D vector angle*)
  bb1[[i]] = b;
  Db = b.Qcoordinates; (*Convert to quaternion coordinates*)
  Db1[[i]] = Db;
  qb = Ls2[[i]] ** Db;
  qb1[[i]] = qb;
  bq = -Ls2[[i]] ** Db;
  bq1[[i]] = bq;
  If[Abs[Re[qb]] > λ1[[i]],
    qB1 = Re[Db ** Limit[Ls2[[i]], Ls2[[i]] → Sign[Re[Db ** Ls2[[i]]]] Db]],
    qB1 = Sign[{bq[[2]], bq[[3]], bq[[4]]}.Qcoordinates]];
  outB1[[i]] = {b, qB1};
  If[Abs[Re[qb]] > λ2[[i]],
    qB2 = Re[-Db ** Limit[Ls2[[i]], Ls2[[i]] → Sign[Re[Db ** Ls2[[i]]]] Db]],
    qB2 = Sign[{qb[[2]], qb[[3]], qb[[4]]}.Qcoordinates]];
  outB2[[i]] = {b, qB2}, {i, m}]
  outB = Catenate[{outB1, outB2}];
```

Product Calculation Verification

```

In[46]:= m3 = 20000;
DA = Take[Da1, m3];
DB = Take[Db1, m3];
Ls11 = Take[Ls1, m3];
Ls22 = Take[Ls2, m3];
qAB3 = ConstantArray[0, m3];
qAB4 = ConstantArray[0, m3];
qAB5 = ConstantArray[0, m3];
qAB6 = ConstantArray[0, m3];
outAB3 = Table[{0, 0}, m3];
outAB4 = Table[{0, 0}, m3];
outAB5 = Table[{0, 0}, m3];
outAB6 = Table[{0, 0}, m3];
QAB = ConstantArray[0, m3];
(*qA=Re[DA**Limit[Ls11[[i]],Ls11[[i]]]Sign[Re[DA**Ls11[[i]]]]DA]];
qB=Re[DB**Limit[Ls22[[i]],Ls22[[i]]]Sign[Re[DB[[i]]]**Ls22[[i]]]]DB]];*)
(*These two lines moved to the A and B Do-loops
for further proper local processing*)
Do[If[Abs[Re[qa1[[i]]]] > λ1[[i]] && Abs[Re[qb1[[i]]]] > λ1[[i]],
qAB3[[i]] = Re[DA[[i]] ** Ls11[[i]] ** Ls22[[i]] ** DB[[i]]],
qAB3[[i]] = Re[DA[[i]] ** Ls11[[i]]] * Re[Ls22[[i]] ** DB[[i]]] - {aq1[[i]][[2]],
aq1[[i]][[3]], aq1[[i]][[4]]}.{bq1[[i]][[2]], bq1[[i]][[3]], bq1[[i]][[4]]}];
If[Abs[Re[qa1[[i]]]] > λ2[[i]] && Abs[Re[qb1[[i]]]] > λ2[[i]],
qAB4[[i]] = Re[-DA[[i]] ** Ls11[[i]] ** Ls22[[i]] ** -DB[[i]]],
qAB4[[i]] = Re[-DA[[i]] ** Ls11[[i]]] * Re[Ls22[[i]] ** -DB[[i]]] - {qa1[[i]][[2]],
qa1[[i]][[3]], qa1[[i]][[4]]}.{qb1[[i]][[2]], qb1[[i]][[3]], qb1[[i]][[4]]}];
If[Abs[Re[qa1[[i]]]] > λ1[[i]] && Abs[Re[qb1[[i]]]] > λ2[[i]],
qAB5[[i]] = Re[DA[[i]] ** Ls11[[i]] ** -Ls22[[i]] ** DB[[i]]],
qAB5[[i]] = -Re[DA[[i]] ** Ls11[[i]]] * Re[Ls22[[i]] ** DB[[i]]] - {aq1[[i]][[2]],
aq1[[i]][[3]], aq1[[i]][[4]]}.{qb1[[i]][[2]], qb1[[i]][[3]], qb1[[i]][[4]]}];
If[Abs[Re[qa1[[i]]]] > λ2[[i]] && Abs[Re[qb1[[i]]]] > λ1[[i]],
qAB6[[i]] = Re[-DA[[i]] ** Ls11[[i]] ** Ls22[[i]] ** DB[[i]]],
qAB6[[i]] = Re[-DA[[i]] ** Ls11[[i]]] * Re[Ls22[[i]] ** DB[[i]]] - {qa1[[i]][[2]],
qa1[[i]][[3]], qa1[[i]][[4]]}.{bq1[[i]][[2]], bq1[[i]][[3]], bq1[[i]][[4]]}];
φA1 = ArcTan[aa1[[i]][[1]], aa1[[i]][[2]]]/50;
φB1 = ArcTan[bb1[[i]][[2]], bb1[[i]][[1]]]/50;
If[φA1 * φB1 > 0, angleθ = ArcCos[aa1[[i]].bb1[[i]]] * 180/π,
angleθ = (2 π - ArcCos[aa1[[i]].bb1[[i]]]) * 180/π];
outAB3[[i]] = {angleθ, qAB3[[i]]};
outAB4[[i]] = {angleθ, qAB4[[i]]};
outAB5[[i]] = {angleθ, -qAB5[[i]]};
outAB6[[i]] = {angleθ, -qAB6[[i]]}, {i, m3}]
QAB = Catenate[{outAB3, outAB4, outAB5, outAB6}];
meanq = Mean[QAB[[All, 2]]]; (*shows vanishing of the non-real part iJK*)
Print["meanq = ", meanq]
qsim2 = ListPlot[QAB, PlotMarkers → {Automatic, Small},
AspectRatio → 8/16, Ticks → {{{0, 0 °}, {45, 45 °}, {90, 90 °}, {135, 135 °},
{180, 180 °}, {225, 225 °}, {270, 270 °}, {315, 315 °}, {360, 360 °}}, Automatic},
GridLines → Automatic, AxesOrigin → {0, -1.0}];
p1 = Plot[-1 + 2 x Degree / π, {x, 0, 180}, PlotStyle → {Gray, Dashed}];
p2 = Plot[3 - 2 x Degree / π, {x, 180, 360}, PlotStyle → {Gray, Dashed}];
negcos2 = Plot[-Cos[x Degree], {x, 0, 360}, PlotStyle → {Magenta}];
Show[qsim2, p1, p2, negcos2]
meanq = 0.00425996

```



Statistical Analysis of the Particle Data Received from Alice and Bob


```
In[69]:= m2 = 2 m;
theta = ConstantArray[0, m2];
th = ConstantArray[0, m2];
a1 = outA[[All, 1]];
qA = outA[[All, 2]];
b1 = outB[[All, 1]];
qB = outB[[All, 2]];
Do[phiA1 = ArcTan[a1[[i]][[1]], a1[[i]][[2]]]/50;
phiB1 = ArcTan[b1[[i]][[2]], b1[[i]][[1]]]/50;
If[phiA1 * phiB1 > 0, th[[i]] = ArcCos[a1[[i]].b1[[i]]];
th[[i]] = 2 pi - ArcCos[a1[[i]].b1[[i]]];
theta[[i]] = Round[th[[i]] * 180 / pi] + 1;
theta = theta[[i]];
aliceD = qA[[i]]; bobD = qB[[i]];
If[aliceD == 1, nAP[[theta]]++];
If[bobD == 1, nBP[[theta]]++];
If[aliceD == -1, nAN[[theta]]++];
If[bobD == -1, nBN[[theta]]++];
If[aliceD == 1 && bobD == 1, nPP[[theta]]++];
If[aliceD == 1 && bobD == -1, nPN[[theta]]++];
If[aliceD == -1 && bobD == 1, nNP[[theta]]++];
If[aliceD == -1 && bobD == -1, nNN[[theta]]++], {i, m2}]
```

Calculating Mean Values of AB

```
In[74]:= mean = ConstantArray[0, trialDeg];
sum1 = ConstantArray[0, trialDeg];
sum2 = ConstantArray[0, trialDeg];
Do[sum1[[i]] = (nPP[[i]] + nNN[[i]] - nPN[[i]] - nNP[[i]]);
sum2[[i]] = nPP[[i]] + nPN[[i]] + nNP[[i]] + nNN[[i]] + 0.0000001;
mean[[i]] = sum1[[i]] / sum2[[i]], {i, trialDeg}]
```

Plotting the Results and Comparing Mean Values with -Cosine Function

```
In[78]:= simulation = ListPlot[mean, PlotMarkers -> {Automatic, Tiny}];  
negcos =  
  Plot[-Cos[x Degree - 1 Degree], {x, 0, 361}, PlotStyle -> {Magenta}, AspectRatio -> 9/16, Ticks ->  
    {{0, 0 °}, {45, 45 °}, {90, 90 °}, {135, 135 °}, {180, 180 °}, {225, 225 °}, {270, 270 °},  
     {315, 315 °}, {360, 360 °}}, Automatic], GridLines -> Automatic, AxesOrigin -> {0, -1.0}];  
p1 = Plot[-1 + 2 x Degree / π, {x, 0, 180}, PlotStyle -> {Gray, Dashed}];  
p2 = Plot[3 - 2 x Degree / π, {x, 180, 360}, PlotStyle -> {Gray, Dashed}];  
Show[negcos, p1, p2, simulation]
```




Computing Averages

```
In[83]:= A1 = ConstantArray[0, m2];
B1 = ConstantArray[0, m2];
Do[If[qA[[i]] == 1 || qA[[i]] == -1, A1[[i]] = qA[[i]]];
  If[qB[[i]] == 1 || qB[[i]] == -1, B1[[i]] = qB[[i]]], {i, m2}]
AveA = N[Sum[A1[[i]], {i, m2}]/m2];
AveB = N[Sum[B1[[i]], {i, m2}]/m2];
Print["AveA = ", AveA];
Print["AveB = ", AveB];
PAP = N[Sum[nAP[[i]], {i, trialDeg}]];
PBP = N[Sum[nBP[[i]], {i, trialDeg}]];
PAN = N[Sum[nAN[[i]], {i, trialDeg}]];
PBN = N[Sum[nBN[[i]], {i, trialDeg}]];
PA1 = PAP / (PAP + PAN);
PB1 = PBP / (PBP + PBN);
Print["P(A+) = ", PA1]
Print["P(B+) = ", PB1]
totAB = Sum[nPP[[i]] + nNN[[i]] + nPN[[i]] + nNP[[i]], {i, trialDeg}];
Print["Total Events = ", totAB]
PP = N[Sum[nPP[[i]], {i, trialDeg}]/totAB];
NN = N[Sum[nNN[[i]], {i, trialDeg}]/totAB];
PN = N[Sum[nPN[[i]], {i, trialDeg}]/totAB];
NP = N[Sum[nNP[[i]], {i, trialDeg}]/totAB];
totP = PP + NN + PN + NP;
Print["Ave ++ = ", PP]
Print["Ave -- = ", NN]
Print["Ave +- = ", PN]
Print["Ave -+ = ", NP]
CHSH = Abs[N[mean[[23]]] - N[mean[[135]]] + N[mean[[68]]] + N[mean[[45]]]];
Print["Approx. CHSH = ", CHSH]
AveA = 0.0001788
AveB = -0.0001131
P(A+) = 0.500139
P(B+) = 0.499912
Total Events = 4998238
Ave ++ = 0.250041
Ave -- = 0.250122
Ave +- = 0.249981
Ave -+ = 0.249856
Approx. CHSH = 2.6905
```

```
In[111]:= Eab = TrigReduce[(Sin[(ηab)/2]^2 + Sin[(ηab)/2]^2 - Cos[(ηab)/2]^2 - Cos[(ηab)/2]^2)/totP];
Print["E(a, b) = ", Eab]
E(a, b) = -1. Cos[ηab]
```

Calculating Deviation from -Cosine Curve

```
In[113]:= dev1 = ConstantArray[2, 360];
dev2 = ConstantArray[2, 360];
dev3 = ConstantArray[2, 360];
Do[dev1 = mean[[i]];
  dev2[[i]] = {dev1, i}, {i, 360}]
devang = dev2[[All, 2]];
Do[dev3[[i]] = mean[[i]] + Cos[devang[[i]] Degree - 1 Degree], {i, 360}]
ListPlot[N[dev3], PlotMarkers -> {Automatic, Tiny}, Joined -> True, AspectRatio -> 1/2,
 Ticks -> {{{0, 0 °}, {90, 90 °}, {180, 180 °}, {270, 270 °}, {360, 360 °}}, Automatic},
 GridLines -> Automatic, AxesOrigin -> {0, -0.06}]
```



```
In[120]:= N[Mean[Abs[dev3]]]
N[Mean[dev3]]
```

Out[120]= 0.00689832

Out[121]= -0.0000881774